

Shannon-Baum Signs & Graphics **SIGNS**

Eldersburg, MD



Signs & Graphics Since 1950

410.781.4000
Toll Free 1.800.368.2295
Fax 410.781.4673
www.shannonbaum.com

- 3M Reflectives
- ADA Signs
- Band-It Strapping
- Banners
- Construction Signs
- Custom Projects
- Decals & Magnetics
- Delivery
- Dimensional Lettering
- Flags
- Installation
- L.E.D. Signs
- Post Drivers & Pullers
- Roll-Up Signs
- Signfix
- Sign Stands & Posts
- Street Signs
- Traffic Paint
- Traffic Signs
- Vehicle Wraps

Ordering Information

Contact Information

Phone (8:00 am - 4:30 pm Mon. - Fri.)
410-781-4000
Toll Free 1-800-368-2295

Fax (24 Hours a Day)
410-781-4673

E-mail
sign@shannonbaum.com

Visit our Website
www.shannonbaum.com

Mailing Address
105 Competitive Goals Dr
Eldersburg, MD 21784

Terms and Conditions

Invoice terms are Net 30 Days with prior credit approval. Visa, MasterCard, Discover, and American Express are accepted. Amounts unpaid after 30 days shall be assessed a finance charge of 2% per month. Orders received from past due accounts will be processed on COD terms until the account becomes current. We reserve the right to require a deposit on an order when necessary.

We prefer that orders for street name signs and non-standard signs be typed or printed clearly and e-mailed or faxed to us in order to eliminate errors.

Shipping Options

Our Delivery

Shannon-Baum Signs delivers! We have several delivery vehicles to accommodate your orders.

Standard Shipping

Orders will be shipped via "best way" unless otherwise specified. Current published rates plus handling charges will be added to your invoice.

Express Shipping

Next-Day and 2-Day services are available (additional fees apply).

C.O.D

Check or Money Order are acceptable.

Drop Shipments

Shipments to one or more locations can be arranged at the time you place your order.

Upon Receipt of Your Order

Please check all goods carefully. To return merchandise, call our customer service department. Except as otherwise noted, no material will be accepted for return 30 days from date of shipment. Any claims or discrepancies in shipment must be made within one week of receipt of merchandise.

Color Choices & Proofs

We use industry standard reflective and vinyl colors. We can match PMS colors for an additional charge.

We will provide a proof of your sign upon request, once your order has been placed. However, requesting a proof may extend the total production time, and could incur a design fee.

Type Selection & Art Guide

Choosing the Perfect Type

We will set your copy free of charge in any of our many standard typestyles some of which are shown below. We can also attempt to match the typestyle of your sample to the hundreds in our library.

Avant Garde
Baskerville Bold
Brush Script
Burges **Brush**
Crillee Italic
Clarendon Medium
Futura Bold
Franklin Gothic Extra Condensed
Garamond
Gill Sans
Helvetica
Highway Gothic B
Highway Gothic C
Marker
Optima Medium
Times New Roman

Accessing our FTP Site

Go to our website at www.shannonbaum.com and click on "File Upload". After this you will be prompted to enter in your name, company name, phone number, and email address. Enter this information and click submit. You will then be presented with an app that contains the options to add, remove, and upload files (you must have Java installed to view the app). Add the files that you want to upload, then click "Upload". The file(s) should now be uploaded to us, and you will receive a notification when the file(s) is finished uploading. If assistance is needed in using our FTP site or saving or sending art, please contact customer service.

Requirements for Artwork Submitted

As with most graphic reproduction systems, the quality of the original artwork is crucial to the quality of the finished product.

Art must be submitted in one of the following filetypes:

- .EPS
- .DXF
- .AI

These formats are acceptable as long as the art is in line/point/arc format (Vector Art). Some programs create double lines when file conversions are performed. These double lines usually require more clean up.

Art representation (computer printout) of the file must be included for comparison. This will help us determine whether the art is correct and has not been changed while being imported into our design program.

- Corel Draw users: When exporting files from Corel Draw, first remove outlines from your artwork. When outlines are left on and exported into .EPS format, they become multiple contours (one contour for the inside of the outline and one for the outside). Failure to remove outlines before exporting may result in increased clean up time and artwork that does not match the original.
- Text must be converted to curves before exporting files. Files not converted to curves may default to another font when imported into our design program resulting in incorrect artwork being produced.

Regulatory Signs



R1-1
24x24
30x30
36x36
48x48



R3-1L
24x24
30x30
36x26
48x48



R3-8L
30x30
36x36
48x48




R4-7
12x18
18x24
24x30
36x48
48x60



R1-2
30x30x30
36x36x36
48x48x48



R3-3
24x24
30x30
36x36
48x48



R3-8R
30x30
36x36
48x48



R4-7A
18x24
24x30
36x48
48x60



R1-3
12x6
18x9
24x12
30x15
36x18
48x24



R3-4
24x24
30x30
36x36
48x48



R3-9a
30x36



R4-7B
18x24
24x30
36x48
48x60



R1-4
18x6



R3-5L
24x30
30x36



R3-9b
24x36
36x48



R4-8A
18x24
24x30
36x48
48x60




R2-1
18x24
24x30
(Specify Speed)



R3-5R
24x30
30x36



R3-18
24x24
30x30
36x36
48x48



R4-8
18x24
24x30
36x48
48x60



R2-2
24x24
30x30
36x36
(Specify Speed)



R3-5A
30x36



R4-1
12x18
18x24
24x30
36x48
48x48



R4-8B
18x24
24x30
36x48
48x60



R2-4
18x24
24x30
(Specify Speed)



R3-6L
30x36




R4-2
12x18
18x24
24x30
36x48
48x60



R5-1
24x24
30x30
36x36
48x48



R2-5A
18x24
24x30



R3-6R
30x36



R4-3
12x18
18x24
24x30
36x48
48x60



R5-1A
30x18
36x24
42x30



R2-5C
18x24
24x30



R3-7R
30x30



R3-7L
30x30



R5-2
24x24
30x30
36x36
48x48



R3-1R
24x24
30x30
36x36
48x48







































R4-4
36x30



R5-6
24x24
30x30
36x36
48x48

Regulatory Signs

	R5-10A 30x36		R9-3A 18x18 24x24 30x30		R10-11A 18x24 24x30		R12-2 24x30 36x48
	R5-10B 30x18		R9-3B 18x12		R10-11B 24x24 30x30 36x36		R12-3 24x36 (specify weight)
	R6-1R 36x12 54x18		R9-9 24x12 30x18		R10-12 24x30		R12-4 36x24 (specify weight)
	R6-1L 36x12 54x18		R10-3E 9x15		R10-15 24x30 30x36 36x42		R12-5 24x30 24x36 30x36 30x42 36x48 48x60 (specify weight)
	R6-2R 12x16 18x24 24x30 36x48 48x60		R10-5 12x18 18x24		R10-19 24x18 36x30 48x36		R14-1 24x18
	R6-2L 12x16 18x24 24x30 36x48 48x60		R10-6 24x36		R10-20A 24x24 30x30 48x49 (specify days and times)		R15-1 9x48x90
	R6-3 24x18 30x24 36x30		R10-6a 24x30		R11-2 48x30		
	R8-6 18x24 24x30 36x48 48x60		R10-7 24x30		R11-3A 60x30		
	R8-8 24x30 36x48 48x60		R10-10L (Shown) 24x30 R10-10R		R11-4 60x30		
	R9-2 12x18 18x24		R10-11 18x24 24x30 36x48		R12-1 12x18 18x24 24x30 36x48		

Don't see what you need? Custom Signs are our specialty, give us a call or email to discuss your specific signage needs!

Warning Signs



W1-1R
24x24
30x30
36x36
48x48



W1-5L
24x24
30x30
36x36
48x48



W2-5
24x24
30x30
36x36
48x48



W4-1R
24x24
30x30
36x36
48x48



W1-1L
24x24
30x30
36x36
48x48



W1-6L
24x12
36x18
48x24
60x30



W3-1
24x24
30x30
36x36
48x48



W4-1L
24x24
30x30
36x36
48x48



W1-2R
24x24
30x30
36x36
48x48



W1-6R
24x12
36x18
48x24
60x30



W3-1A
24x24
30x30
36x36
48x48



W4-2R
24x24
30x30
36x36
48x48



W1-2L
24x24
30x30
36x36
48x48



W1-7
24x12
36x18
48x24
60x30



W3-1AP
24x18



W4-2L
24x24
30x30
36x36
48x48



W1-3R
24x24
30x30
36x36
48x48



W1-8L
12x18
18x24
24x30
30x36
36x48



W3-2AP
24x18



W4-3R
36x36
48x48



W1-3L
24x24
30x30
36x36
48x48



W1-8R
12x18
18x24
24x30
30x36
36x48



W3-2
24x24
30x30
36x36
48x48



W4-3L
36x36
48x48



W1-4R
24x24
30x30
36x36
48x48



W2-1
24x24
30x30
36x36
48x48



W3-3
30x30
36x36
48x48



W5-1
24x24
30x30
36x36
48x48



W1-4L
24x24
30x30
36x36
48x48



W2-3
24x24
30x30
36x36
48x48



W3-3A
30x30
36x36
48x48



W5-2
24x24
30x30
36x36
48x48



W1-5R
24x24
30x30
36x36
48x48



W2-4
24x24
30x30
36x36
48x48



W3-3P
24x18



W5-2(1)
24x24
30x30
36x36
48x48

Warning Signs



W6-1
30x30
36x36
48x48



W6-2
30x30
36x36
48x48



W6-3
30x30
36x36
48x48



W6-3P
24x18



W7-1
24x24
30x30
36x36
48x48



W8-1
24x24
30x30
36x36
48x48



W8-2
24x24
30x30
36x36
48x48



W8-3A
24x24
30x30
36x36
48x48



W8-4
24x24
30x30
36x36
48x48



W8-5
24x24
30x30
36x36
48x48



W8-5P
24x18



W8-6P
24x18



W9-1R
24x24
30x30
36x36
48x48



W9-1L
24x24
30x30
36x36
48x48



W10-1
9x9
12x12
15x15
18x18
24x24
30x30
36x36



W11-1
24x24
30x30
36x36
48x48



W11-2
24x24
30x30
36x36
48x48



W11-2A
24x24
30x30
36x36
48x48



W11-2P
24x18



W11-3
24x24
30x30
36x36
48x48



W11-3P
24x18



W11-4
24x24
30x30
36x36
48x48



W11-5
24x24
30x30
36x36
48x48



W11-7
24x24
30x30
36x36
48x48



W11-8
24x24
30x30
36x36
48x48



W11-8P
24x18



W11-9
24x24
30x30
36x36
48x48



W11-10
24x24
30x30
36x36
48x48



W12-2
24x24
30x30
36x36
48x48
(specify height)



W13-1
18x18
24x24
30x30
(Specify speed)



W14-1
24x24
30x30
36x36
48x48



W14-1A
8x36



W14-2
24x24
30x30
36x36
48x48



W14-2A
8x36



W14-3
36x36x24
40x40x30
48x48x36
64x64x48



W15-1
18x18
24x24
30x30
36x36



W100
18x24

Construction Signs



W1-1
24x24
30x30
36x36
48x48



W5-1
24x24
30x30
36x36
48x48



W8-2
24x24
30x30
36x36
48x48



W9-1
24x24
30x30
36x36
48x48



W1-2
24x24
30x30
36x36
48x48



W5-2
24x24
30x30
36x36
48x48



W8-3
24x24
30x30
36x36
48x48



W9-2
30x30
36x36
48x48



W1-3
24x24
30x30
36x36
48x48



W5-3
24x24
30x30
36x36
48x48



W8-3A
24x24
30x30
36x36
48x48



W12-1
24x24
30x30
36x36
48x48



W1-4
24x24
30x30
36x36
48x48



W6-1
30x30
36x36
48x48



W8-4
24x24
30x30
36x36
48x48



W12-2
24x24
30x30
36x36
48x48
(specify height)



W1-6
24x12
36x18
48x24
60x30



W6-2
30x30
36x36
48x48



W8-5
24x24
30x30
36x36
48x48



W13-1
18x18
24x24
30x30
(specify speed)




W1-8
12x18
18x24
24x30
30x36
36x48



W6-3
30x30
36x36
48x48




W8-6
24x24
30x30
36x36
48x48



W14-3
36x36x24
40x40x30
48x48x36
64x64x48



W3-1A
18x18
24x24
30x30
36x36
48x48



W7-1
24x24
30x30
36x36
48x48



W8-7
24x24
30x30
36x36
48x48



W20-1
24x24
30x30
36x36
48x48
60x60



W3-2A
18x18
24x24
30x30
36x36
48x48



W8-1
24x24
30x30
36x36
48x48



W8-8
24x24
30x30
36x36
48x48



W20-2
36x36
48x48
(specify AHEAD-
or a distance)



W4-2
24x24
30x30
36x36
48x48



W8-1
24x24
30x30
36x36
48x48



W8-8
24x24
30x30
36x36
48x48



W20-2
36x36
48x48
(specify AHEAD-
or a distance)

Construction Signs



W20-3

36x36
48x48
(specify
AHEAD or a
distance)



W20-4

36x36
48x48
(specify
AHEAD or a
distance)



W20-5

36x36
48x48
(specify
AHEAD or a
distance)



W20-7

36x36
48x48
(specify
AHEAD or a
distance)



W20-7A

36x36
48x48



W20-7AP

24x18



W3-4

30x30
36x36
48x48
60x60



W21-1

24x24
30x30
36x36
48x48



W21-1A

30x30
36x36
48x48



W21-2

24x24
30x30
36x36
48x48



W21-5

24x24
30x30
36x36
48x48

W21-6

24x24
30x30
36x36
48x48

W22-1

36x36
48x48

W22-2

42x36

W22-3

42x36

G20-1

36x18



G20-2

36x18



G20-4

36x18



M4-8

24x12
30x15



M4-8A

24x18



M4-8B

24x12



M4-9

30x24
48x36
60x48



M4-10

48x18

Construction Products



Stop/Slow Paddles

Available in 18" (10" Handle) or 24" (60" Handle)



**Handheld
Warning Flags**

Available in 18" (24" staff) or 24" (36" Staff)



**Reflective
Safety Vests**



Cones

Available in 12", 18", 28", or 36". White reflective cone collars are available in 4" and 6"



Barricades

Available in type I, II, or III.



Barrels

Guide, Parks & Recreation Signs



M1-1
24x24
(2 Digit)
30x24
(3 Digit)



M1-4
24x24
(2 Digit)
30x24
(3 Digit)



M1-5
24x24
36x36
48x48
(1 or 2 digits)
30x24
(3 digits)



M2-1
21x15



M2-1A
21x15



M3-1
24x12



M3-1A
24x12



M3-2
24x12



M3-2A
24x12



M3-3
24x12



M3-3A
24x12



M3-4
24x12



M3-4A
24x12



M4-1
24x12
30x15



M4-1A
24x12
30x15



M4-2
24x12
30x15



M4-3
24x12
30x15



M4-4
24x12
30x15



M4-5
24x12
30x15



M4-5A
24x12
30x15



M4-6
24x12
30x15



M4-7
24x12
30x15



M4-7A
24x12
30x15



M4-11
24x6



M4-12
24x6



M4-13
24x6



M5-1
21x15



M5-1A
21x15



M5-2
21x15



M5-2A
21x15



M6-1
21x15



M6-1A
21x15



M6-2
21x15



M6-2A
21x15



M6-3
21x15



M6-3A
21x15



D4-2
24x30
30x36
36x48



D4-3
24x30
30x36
36x48



D9-1
18x18
24x24



D9-2
24x24



D9-3
24x24



D9-3A
24x24



D9-6
24x24



D9-7
18x18
24x24

Guide, Parks & Recreation Signs



D9-8
18x18
24x24
30x30



I-5
18x18
24x24
30x30



RG-040
24x24



RG-150
24x24



D9-9
18x18
24x24
30x30



I-6
18x18
24x24
30x30



RG-070
24x24



RG-170
24x24



D9-10
18x18
24x24
30x30



I-7
18x18
24x24
30x30



RG-090
24x24



RG-180
24x24



D9-12
18x18
24x24
30x30



I-8
18x18
24x24
30x30



RG-100
24x24



RM-010
24x24



D11-1
24x18
30x24



RG-010
24x24



RG-110
24x24



RM-020
24x24



I-4
18x18
24x24
30x30



RG-030
24x24



RG-120
24x24



RG-130
24x24



Parking Signs



R7
12x18
18x24
24x30



R7-4
12x18
18x24
24x30




R7-8P
12x6
(specify fine)
We carry \$250 in Stock
(Fines Vary by County)



R7-201A
12x6



R7-1
12x18
18x24
24x30
(specify arrow)



R7-5
12x18
18x24
24x30
(specify times and arrows)



R7-8V
12x21



R8-1
12x18
12x21
18x24



R7-1AP
12x6
24x18
(specify arrow)



R7-6
12x18
18x24
24x30
(specify arrow)



R7-8VP
12x26



R8-1(2)
12x6



R7-2
12x18
18x24
24x30
(specify time and arrows)



R7-8
12x18
18x24
24x30
(specify arrow)



R7-107A
12x24
(without transit logo, pictured)
12x30
(with local transit logo)



R8-2
18x24
24x30
36x48
48x60



R7-2A
12x18
18x24
24x30



R7-8
12x6
18x9



R8-3
18x24
24x30
36x36
48x48



R7-3
12x18
18x24
24x30
(specify days and arrow)



R7-8(2)
12x9
(specify amount)



R7-108
12x18
28x24
24x30



R8-3A
12x12
18x18
24x24
36x36
48x48



A-Frame Signs



Signicade



Quicksign

Street Signs

Our street signs can be flat or extruded and come in a variety of sizes. Flat street signs are available in .080, .100, and .125 aluminum. We offer custom shapes and logos that can be added. Our street signs can be made in a variety of reflective materials and colors. Below are a few examples of our designs:



D1-1
(Variable)x18



D1-1
(Variable)x18



D1-2
(Variable)x30



D3-1
(Variable)x8
(Variable)x12



D1-3
(Variable)x42

School Signs



S1-1
30x30
36x36
48x48



S2-1
30x30
36x36
48x48



S2-1P
24x10
24x18



S2-2P
24x24
30x30



S3-1
30x30
36x36



S4-1
24x10
36x18
48x48
(specify time)



S4-2
24x10
36x18
48x24




S4-3
12x6
24x8
36x12
48x16



S4-4
24x10
36x18
48x24




S4-5
36x36
48x48




S4-6
24x10
36x18



S5-1
24x48
36x72
48x96



S5-1M
30x72



S5-2
24x30
36x48

In-Street Pedestrian Sign System

The In-street pedestrian system offers the promise of a safer walk to and from school for thousands of children. All of these devices use the color Fluorescent Yellow Green, which is recognized by leading scientists as being quickly picked up by your eyes. This color is so effective that it is restricted by the federal government for pedestrian applications only. Now any time a driver sees this color, they know to be alert for pedestrians - especially children - who are in the roadway. Choose the product that fits your need: Maryland requires the stop (R1-6A), while Delaware requires the yield (R1-6).



R1-6
12x36
Available in
fixed base and
portable base



R1-6A
12x36
Available in
fixed base and
portable base



Lettering & Reflective Sheeting

Pre-spaced letters are computer generated by our graphics department. The legend is then covered with application tape to allow for easy application by your staff. The use of our pre-spaced legends will help to project the image of professionalism for your department.



Scotchlite Diamond Grade Conspicuity Sheeting 981-32

- Highly durable, cube corner sheeting with pressure sensitive adhesive designed for truck and trailer markings
- Red & White striped
- Available in: 2"X50 yds, 3"X50 yds, and 4"X50 yds



3M Reflective Sheeting is available in Engineer Grade, High Intensity Prismatic, and Diamond Grade. Engineer Grade has a performance life of 7 years, High Intensity Prismatic sheeting has a performance life of 10 years, and Diamond Grade has a performance life of 12 years. Partial rolls are available as well as sheets of any size and color. Series 580, 680, and 690 vehicle marking material is also available.

Colors	Engineer Grade (Type I)	Hi-Intensity Prismatic (Type III, IV)	DG3 Diamond Grade (Type XI)
Yellow	3271	3931	4091
Red	3272	3932	4092
Blue	3275	3935	4095
Green	3277	3937	4097
Brown	3279	3939	4099
White-Silver	3290	3930	4090
Orange	1484	X	4084
Flour. Yell- Grn	X	X	4083
Flour. Yellow	X	X	4081
Flour. Orange	X	3924s*	4084

*Work Zone Sheeting

Roll Sizes 24"X50 YDS, 30"X50 YDS, 36"X50 YDS, 48"X50 YDS

We also offer a complete selection of standard and custom die cut letters, numbers, cut out arrows, radius corners, and border tape.



Emergency Vehicle Decals

Shannon-Baum Signs, Inc. is known industry wide for the quality of our reflective decals. We have manufactured decals for police departments, fire departments, and county/state vehicles. We have a state-of-the-art graphics department which enables us infinite design capabilities. We can help your department design a new decal or work off of an existing design. Screen printed and digitally printed decals are available.



Commercial Vehicle Decals



Shannon-Baum Signs provides nothing but the finest output in order to reach the targets that our customers have set. Various types of businesses have trusted us through the years when it comes to delivering exceptional vehicle graphics.



Vehicle Wraps

Vehicle wraps put your company's name where people are. Large format printing produces vinyl car graphics that are eye catching and attractive. Best of all, the visual effect is mobile. Travel time becomes marketing time. When calling on clients or performing a service on site, parking in a conspicuous area puts your company's name in the view of passersby.






Still the best way to grab your audience's attention are L.E.D. signs. Displaying specials, events, and information, L.E.D. sign owners are taking advantage of changing their messages.





Sandblasted Signs

Thanks to new techniques, enhanced technology, and increased choice of materials, Sandblasted signs can work almost anywhere today. They can be used as entrance signs, park signs, store signs, company logos, address plaques, and more. Each is unique and custom made by hand.



Dimensional Lettering



State Logo Signs

We are an authorized manufacturer of logo signs for Maryland, Pennsylvania, Ohio, Virginia, and West Virginia. Shown below are only a few of the thousands of logo signs that we have manufactured for our customers; allow us to create yours!



Gas



Food




Attractions



Lodging



For Real Estate/Property Management companies we offer many types of signs: Open House Signs, "Financing By:" signs, for sale signs, and more. Shown below are just a few examples.



Banners

Custom Banners are available in various sizes, colors, and styles. Show your team spirit, say Happy Birthday, or sell a home with a banner. Mount them to light poles to showcase your spirit. Great for colleges, towns and cities, churches, shopping centers, and businesses. Call for more information.



Safety Signs

The following OSHA safety signs are produced to adhere to Federal specification in size, color, and wording. The signs are manufactured from .40 aluminum. The following are sample legends (custom wording is available).

Caution Wording



- NO SMOKING BEYOND THIS POINT
- WATCH OUT FOR FORK LIFT TRUCKS
- HARD HATS REQUIRED IN THIS AREA
- KEEP AISLES CLEAR
- FLOOR LOAD LIMIT (NUMBER) LBS./SQ.FT.
- LOW HEAD CLEARANCE

Notice Wording




- ALL TRAILERS MUST BE CHOCKED
- FIRE DOOR DO NOT OBSTRUCT
- KEEP THIS DOOR CLOSED
- KEEP THIS AISLE CLEAR
- NO ADMITTANCE EMPLOYEES ONLY
- SAFETY GLASSES REQUIRED IN THIS AREA

Danger Wording



- HIGH VOLTAGE
- RESTRICTED AREA
- WATCH YOUR STEP
- EXPLOSIVES
- KEEP OUT
- NO TRESPASSING



FDC Signs



Public Awareness Signs

The following signs are reflective, 3M brand, high quality signs, silk screened with special inks to reduce fading. These signs will last three times longer than painted enamel signs. Signs come complete with rounded corners and two holes for easy mounting.



Advertising Display Flags

Our premium advertising display flags are digitally printed using state of the art technology on a UV protected, fade resistant fabric. Our flags are finished with superior craftsmanship, handsewn with durable needle lock stitching and reinforced pole sleeves.




Blade Flag
2 sided with liner
and 13' premium
pole set
(pole, ground
spike, and travel
bag)




Teardrop Flag
2 sided with liner
and 11' premium
pole set
(pole, ground spike,
and travel bag)

Feather



Flutter



Square



Vertical Striped Message Flag
12' 3 Striped custom message flag
with 15' telescoping pole

ADA Braille Signs

Each sign is made of durable clear plastic carefully printed on the back surface to fully protect the message from marring. These custom - quality signs feature internationally recognized symbols, radius corners and stepped edging. A rich appearance to add a professional touch to any building. A permanent, pressure sensitive adhesive backing makes signage easy to mount on almost any surface instantly. No tools are necessary. Custom braille signs are also available in a variety of colors, sizes, and designs.



Stock Signs

Available in brown and blue



ADA-001



ADA-002



ADA-003



ADA-004



ADA-005*
Only available in brown



ADA-001A*
Only available in blue



ADA-006



ADA-007



ADA-008



ADA-009



ADA-010

Custom Projects



Graphics on Plastic Trash Can Lids



Fabricated Stop Sign Poles



Brass Plaques



Wall Murals



Fiberglass Marker Posts



Acrylic Sign with Stand-Offs



Hydrant Rings



Die Cut Stickers




Embedded Fiberglass Signs



Community Monument Signs

Various types of businesses have trusted us through the years when it comes to delivering exceptional products for their events. Contact us to discuss your next event.



Custom Photo and Cornhole Boards





Tents



Coolers



Table Covers



Retractable Banners and Step & Repeat Banners



Screen Printed Event T-Shirts



Signs

Post Covers and Decals

Tired of unsightly dings and chips? Cover your post and make it look like new! Covers enhance and protect the appearance of your post. Constructed of hard plastic, these post covers are UV resistant for a long life.



Custom Post Decals

Add a custom decal for an economical way to brand your location! We can apply your logo or artwork to your post cover. Contact us for more information.



Signal Lights


We are a master distributor of Superior Signals brand strobe lights, light bars, arrows and accessories. Below are a few examples. Please contact us to discuss your light needs.




XJ6004H - Light Bar



Sy800 - Arrow



Sy9340M - Light Bar
(Magnetic Mount)



Sy9340 - Light Bar
(permanent Mount)



Sy2202H - Strobe Light




MDI Windmaster Sign Stands

WindMaster Sign Stands have been engineered using the highest quality components and thoroughly tested to ensure exceptional performance. The bases are equipped with springs that have strong initial tension to resist twisting and turning of signs in high wind gusts. The aircraft aluminum legs have kick-release buttons to simplify set-up and take-down and rubber caps for traction. Each leg is adjustable for stability on curbs or uneven terrain. They are available in a variety of heights.




4818K
7'3" deployed height
1'6" ground to sign




4860RBK
11'2" and 13'2" deployed height
5' and 7' ground to sign



40CAM Economy
6'5" deployed height
1' ground to sign



Crossbraces
(For Roll-Up)



Rigid Bracket
SA-01729



Roll-Up Bracket
SA-10001



Armor Tile Tactile System

Armor Tile detectable warning systems are manufactured of a diamond-hard vitrified polymer composite and are the industry leaders for durability, weather and wear resistance. These tactile systems for the visually impaired are in full compliance with the Americans with Disabilities Act (ADA).



Federal Yellow




Light Gray



Colonial Red



Pearl White



Dark Gray



Ocean Blue



Brick Red



Onyx Black



Ochre Yellow

Available in:

- 12"x12"
- 24"x24"
- 24"x36"
- 24"x48"
- 24"x60"
- 36"x48"
- 36"x60"

Armor-Tile™
Tactile Systems

Traffic Delineation & Road Markings



Curv-Flex Posts

The Curv-Flex is recommended for areas where vehicle impacts are likely. With its trademarked curve and flange profile, the Curv-Flex marker withstands direct tire impacts.



Super Duck

This unique 3" channelizer supports up to 6 bands of reflective sheeting. It's ideal for construction sites, lane changes, and added visibility to raised medians.



Roadmarker

The Roadmarker remains the most popular marker in the market. Two ribs on the side protect sheeting from vehicle impacts while the back rib gives added strength for driving into hard soil conditions.



Traffic Paint

White or yellow latex paint for marking asphalt or concrete. Available in 5 gallon containers. Glass beads are also available.

Stencils & Thermoplastic Markings



We provide 1/16 polyvinyl reusable stencils. We have various sizes of copy and symbols. Contact us for more information.

Ennis-Flint Thermoplastic pavement marking material is an environmentally and user-safe compound containing binder, pigments, filler and glass beads. Thermoplastic is a durable and cost effective marking system that can be installed as a flat line with various glass bead packages.




Sign Caps & Crosspieces




Pyramid Closure Cap

Square Closure Cap


Round Closure Cap



#850 Short
Available for both Flat & Extruded Blades
Cap for 2" Square Tube
5/16" Set Screw - 6 Places




#850 Long
Available for both Flat & Extruded Blades
Cap for 2" Square Tube
90 Crosspiece
Slot 5 1/4" Long
5/16" Set Screw - 6 places




5/16" Set Screw - 5 Places


#808EX - Available for both Flat & Extruded Blades
Cap for 2 3/8" o.d. Pipe
90 Crosspiece




5/16" Set Screw - 4 Places



#808EX - Available for both Flat & Extruded Blades
U-Channel Cap
**Extruded Opposite Cap also available
5/16" Set Screw




#730 Cantilever Bracket for Extruded Blades
For 6" Blades
For 6 3/4" Blades
For 9" Blades
Hex Cap Bolt & Nut




#721 Wing Bracket for Flat blade only


#812 - Flat or Extruded Cap and Crosspiece for 2" Pipe, 2" Square, U-Channel



5/16" Set Screw - 5 Places




5/16" Set Screw - 4 Places




5/16" Set Screw - 2 Places

5/16" x 3/4" Bolt - 2 Places




5/16" Set Screw - 2 Places

5/16" x 3/4" Bolt - 2 Places




#827
Available for both Flat & Extruded Blades
4" x 4" Wood post



#702 Ring Bracket for 2" Round Pipe (2 3/8" o.d.)

#318 Ring Brackets
Single for 2" Pipe only
Double for 2" Pipe only (2 3/8" o.d.)




#1010 Cantilever Arm Support
Standard Drilling or Special Bolt-thru Drilling
14 1/2" Long
Add Extension arm to reach 29" long

Don't see the cap/crosspiece you need? Give us a call or send us an email!

Sign Posts


We are a distributor of Franklin Flanged Channel Sign Posts which are manufactured from high quality, high tensile rail steel and finished with a protective coating of weather resistant baked enamel paint, or galvanized by hot dipping per ASTM A123. They are designed to provide an attractive appearance and years of maintenance-free service. Special colors and finishes can be supplied for special applications. We stock 6'6", 7', 8', 10', 11', and 12'.




Round Galvanized Steel Posts

Our round galvanized steel posts have a 2 3/8" outside diameter. We carry .065 and .154 wall thickness.


Sign Post and Base Post
Weight - 2.00 lbs/ft





Sign Post and Base Post
Weight - 2.50 lbs/ft




Sign Post and Base Post
Weight - 3.00 lbs/ft



Sign Post and Base Post
Weight - 4.00 lbs/ft



4-Hole Square Posts



Quick Punch Square Posts

Our square galvanized steel posts are available up to 24' lengths in 12 and 14 gauge and are perforated with 7/16" holes the full length on all four sides, 1" center to center. We have 2"x2", 2 1/4"x 2 1/4", and 2 1/2"x 2 1/2". Base posts are available in 12 gauge 2 1/4" x 2 1/4" and 2 1/2" x 2 1/2". Solid wall square posts are available. Custom colors are also available.

Lbs. Per Foot	A	B	C	D	Area
2 lbs	1.516"	3.125"	1.250"	.625"	.59 in ²
2.5 lbs	1.562"	3.125"	1.250"	.625"	.74 in ²
3 lbs	1.750"	3.500"	1.625"	.718"	.92 in ²
4 lbs	1.750"	3.500"	1.671"	.718"	1.24

 **Franklin Industries**



Post Drivers & Pullers

Our easy to handle one-man post driver is 65" long which permits one man to drive a U-channel, square, or round post up to 12'0" from ground level. The barrel I.D. is 3 3/4", weight is 38 lbs. We also carry a lightweight post driver for delineator posts, and a heavy duty driver for 3lb and 4lb posts. Our drivers are also available with extended handles.



Standard Post
Driver



Delineator
Post Driver

Our hand-operated jack and handle pulls most types of posts. Handle is separate from base, and has two different leverage positions. The handle can also be used for straightening twisted channel posts. Use with detachable pullers. Pullers pull U-channel, square, round and wood posts. Welded, hardened-steel jaws prevent slipping. Automatically adjust to any shape post. Use with the standard or heavy-duty jack and handles. An optional heavy duty puller is available for larger posts.



Drive Caps are
available for U-Channels
2lb and 3lb posts



Rhino Brand post drivers (PD 50 and 55) are also available, please contact us for more information.

Band-it Stainless Steel Strapping



Band-It Ear-Lock Buckles

Band-It Buckles are designed to accommodate both single or double wrap clamps in metals and vary by width to correspond with Band-It Bands.

Package Quantity- 100

C25299- 1/4" Width
C25399- 3/8" Width
C25499- 1/2" Width
C25599- 5/8" Width
C25699- 3/4" Width



Valuclips

Valuclips are reinforced with angle ribs for extra strength. For use with Valustrap and Valustrap Plus. and Band-It Bands.

Package Quantity- 100

C15199- 3/16" Width
C15399- 3/8" Width
C15499- 1/2" Width
C15599- 5/8" Width
C15699- 3/4" Width



The Band-It Tool

A drop forged electroplated tool with tensioning capability of over 2,400 pounds. Used to apply Band-It Bands and Buckles, and Strapping

C00169- Band-It Tool
Replacement Parts:
C00689- Tension Handle and Screw Kit
C01899 - Band Gripper Kit Assembly
C01687 - Thrust Bearing
C05887 - Cutter bar and Handle Kit Assembly



Valustrap Plus

This Strapping is .020" thick and is used when medium strength is needed for pipe covering and traffic signs. Use with Valuclips

Package Quantity: 100' and 200' rolls

C19199- 3/8" 100' roll
C18189- 1/2" 100' roll
C17199- 5/8" 100' roll
C16189- 3/4" 100' roll
C19399- 3/8" 200' roll
C18389- 1/2" 200' roll
C17399- 5/8" 200' roll
C16389- 3/4" 200' roll



Band-It Band

Band-It Band is .020 to .030" thick in a range of widths, all stainless steel with a full round edge for larger signs. For extra strength, use a double wrap, threading the band through the buckle each time around. Order band and buckles of the same material and width,

Package Quantity: 100' rolls

C20299- .020"x1/4"
C20399- .025"x3/8"
C20499- .030"x1/2"
C20599- .030"x5/8"
C20699- .030"x3/4"



Sign Mounting Brack-Its

Band-It Sign mounting Brack-Its are used to mount traffic signs securely with Band-It Band and Buckles, Valustrap, Valustrap Plus or Free-End Clamps. These Brack-Its are reinforced with specially designed ribbing for extra strength, to withstand stress and wind vibration. The hex head bolts, with metal and fiber washer, require no nuts and are fully threaded to solidly anchor any sign.

Package Quantity: 50

D00189- Single bolt straight leg SS with SS bolt, washer and fiber washer
D00499- Single bolt straight leg SS Brack-It only
D02189- Single bolt flared leg SS Brack-It with SS bolt, washer and fiber washer.
D02299- Single bolt flared leg SS Brack-It only.



Scru-Seal Clamps With Band-It Band

A screwdriver is the only tool needed to tension these clamps. A 3/8" wide stainless steel band is used, single or double wrapped, cut as required from the 100' roll. Scru-Seal clamps with slotted hex can be used around objects as small as 2" diameter. Instructions for use are on the back side of the carton.

M21099- The complete package: 25 Scru-Seal racks, 25 housings, Valustrap band 3/8" x 0.015" x 100'
M21199- 10 Scru-Seals and 10 housings
M21199-25- 25 Scru-Seals and 25 housings
M21199-100- 100 Scru-Seals and 100 housings




Clamp-Pak

Make your own clamps, 2" to 38" in diameter, with the contents of this Clamp-Pak. Ten shrink-packed cards to a carton with a hang-hole at the top. Instructions are on the back side of the Clamp-Pak Card.

M21899- Clamp-Pak

BAND-IT®



Breakaway Nuts

Vandal guard Breakaway nuts come in 5/16". Upon tightening, the hex head shears off, leaving the conical nut base to protect your property.

Tufnut Security Bolts
Tufnut Steel Security Nuts are fastened with regular tools. Tufnut tamper proof nuts are fully adjustable, to give you complete control over how tightly your property is secured. A Tufnut is threaded onto a bolt, finger-tight. A second nut is installed upside-down. A wrench is inserted between the two nuts to tighten. Once fastened, the second nut is removed. Use the same procedure (reversed) to remove nuts for maintenance.



Pop Rivets

Pop Rivets can be used where access to the back of the workpiece is not accessible. Simply insert the rivet into the tool, place the head of the rivet into a hole in the materials to be joined, and activate the tool: it will pull the mandrel head into the rivet body, expanding it, and forming a strong, tight, reliable joint on the back side of the application (forming the secondary clamp). At a predetermined setting force, the mandrel breaks leaving a tightly fastened joint.



Corner Bolts

Aluminum Corner Bolts are used to attach square posts to bases.




Drive Rivets

Drive Rivets come in all sizes, and they are easy to install, requiring no special tools. The drive rivet is set by striking the pin with a hammer, driving the pin flush with the rivet head and expanding the back side of the rivet.

5/16"x 2" and 2 1/2" hex bolts, carriage bolts, and lag bolts are available. Metal washers as well as nylon washers for H.I.P and D/G signs are in stock.

Signfix

SIGNFIX Modular Sign Support Systems are recognized by sign fabricators as a quicker, easier and cost effective method to mount all sizes of signs to any size or shape of pole.



Channel Extrusions

Signfix channel extrusions are manufactured from 6061-T6 Aluminum alloy to provide excellent corrosion resistance and high strength structural properties. Each channel extrusion has the identical channel hardware configuration which allows the simple mix and match design for attaching hardware to round poles, square posts, and beam structures.



Mast Arm Mount Hardware Kits

These kits create a strong, maintenance-free frame for mounting sign blanks to mast arms. Aluminum extrusions and stainless steel corner angles, braces, and clamps give maximum support to the sign. This prevents loss of reflectivity from wind or vibration. No field assembly is required, and clamps may be easily adjusted to match the angle of the mast arm.

Aluminum Blanks


We stock .040, .063 (12"x18" only), and .080 aluminum. Other thicknesses available through special order are .100 and .125 aluminum. Our blanks are 5052H38 or 6061T6 alloy, degreased and etched for paint or reflective sheeting application.

All sizes may be ordered with Non-Reflective, Engineer Grade, Hi-Intensity, or Diamond Grade sheeting professionally applied. Standard blanks have 3/8" holes for mounting and radius corners in accordance with the MUTCD. Non-standard cuts of aluminum are our specialty, please ask your salesperson.

Note: the first dimension listed is the width of the blank


EX: A rectangle that is .080x18x24 is .080" thick, 18" wide at the base, and 24" high.

Shape	Gauge and Size	Shipping Weight
Rectangle	.080x12x6	.56 lbs
	.080x12x18	1.69 lbs
	.080x18x6	.84 lbs
	.080x24x6	1.13 lbs
	.080x30x6	1.41 lbs
	.080x36x6	1.69 lbs
	.080x24x8	1.50 lbs
	.080x24x10	1.88 lbs
	.080x24x12	2.25 lbs
	.080x21x15	2.46 lbs
	.080x18x24	3.38 lbs
	.080x24x18	3.38 lbs
	.080x24x30	5.63 lbs
	.080x24x36	6.75 lbs
	.080x30x36	8.44 lbs
	.080x36x12	3.38 lbs
	.080x12x36	3.38 lbs
	.080x48x24	9.00 lbs
Square	.080x18x18	2.53 lbs
Square or Diamond	.080x24x24	4.50 lbs
	.080x30x30	7.03 lbs
Diamond	.080x36x36	10.13 lbs
	.080x48x48	18.01 lbs
Octagon	.080x24x24	3.74 lbs
	.080x30x30	5.84 lbs
Pentagon	.080x36x36	8.42 lbs
	.080x30x30	5.27 lbs
Triangle	.080x36x36	7.60 lbs
	.080x30x30x30	3.06 lbs
Circle	.080x36x36x36	4.40 lbs
	.080x30x30	5.52 lbs
County Route Marker	.080x36x36	7.96 lbs
	.080x24x24	3.25 lbs
No Passing Zone	.080x18x18	1.82 lbs
	.080x36x48x48	6.35 lbs




Extruded Aluminum Street Blades

Shape	Size	Shipping Weight
Rectangle	6x24	1.98 lbs
	6x30	2.48 lbs
	6x36	2.97 lbs
	6x42	3.46lbs
	6x48	3.96 lbs
	6.75x24	2.15 lbs
	6.75x30	2.68 lbs
	6.75x36	3.22 lbs
	6.75x42	3.75 lbs
	6.75x48	4.29 lbs
	9x24	2.58 lbs
	9x30	3.22 lbs
	9x36	3.87 lbs
	9x42	4.51 lbs
	9x48	5.16 lbs




Diamonds



Rectangles




Pentagons



Octagons




Triangles



Circles

Shannon-Baum not only creates all of your custom and stock signs, we also install them! From giant L.E.D. signs to street signs, we install them all.



Our installation and service department has everything needed for a safe and timely installation of your signs. Our services include:

- Bollard pole installation
- Bucket truck services
- Core drilling of concrete & asphalt up to 24" diameter
- Crane services
- Custom sign installations
- Digging services up to 36" diameter by 12' depth
- Dump truck services
- Electronic message displays
- Lighted sign cabinets and channel letters
- Pylon structures
- Scoreboard installations
- Sign foundations
- Sign repairs
- Traffic sign installations
- Wayfinding signage

